Using Economics for Resource Control

Tuomas Sandholm
Assistant Professor
Department of Computer Science
Washington University

Automated negotiation systems

- **MAS = systems consisting of multiple agents whose actions interact**
- **Agents search & make contracts on behalf of owners**
- **Increasingly important**
  - Developing communication infrastructure (NII, Internet, WWW, EDI, KQML, FIPA, Telescript, Java...)
  - Electronic commerce on the Internet: Goods, services, information, bandwidth, computation, storage...
  - Industrial trend toward virtual enterprises & outsourcing

Systems with self-interested agents

- ***Protocol*** **specifies legal actions for each agent**
- ***Strategy*** **= Agent's mapping from history to action.**
  Way to use protocol
- **Rational self-interested agent chooses its strategy to maximize payoff given protocol**
  => normative approach required
- **Computation limitations bound rationality**

Example applications

- **Multienterprise agile manufacturing scheduling**
- **Internet commerce, e.g. auctionbots**
- **Electricity markets**
- **Heating markets for building environments**
- **Information gathering on the web**
- **Collective article rating on the web**
- **Computer networks**
  - Bandwidth allocation
  - Video on demand
  - Mirror site allocation
  - Dynamic pricing
  - Provider collusion
- **OS &** ***mobile agents*** **: allocation of storage & computation**
- **Vehicle routing among independent dispatch centers**
- **Treatment scheduling across hospitals**
- **Electronic trading**
- **Multicontractor software engineering**
- **Multirobot systems...**

by Tuomas Sandholm

Marginal costs in automated contracting

- **Original contract net protocol** [Smith80, Smith&Davis81]
  - Applied to simulated acoustic sensor net: Centralized
  - No formal model for bidding & awarding decisions
  - Only cooperative agents: No payments for handling tasks
- **TRACONET system** [Sandholm93]
  - Distributed, asynchronous agents
  - Safe method for dynamic entry & exit
  - An agent can take on both contractor & contractee roles
  - Iterative task reallocation -> anytime algorithm
  - Formal model for bidding & awarding based on *individual rationality*. E.g. in bid, i requires

$$Payment > MC_i(t \mid T_i) = c_i(T_i \cup \{t\}) - c_i(T_i)$$

- Contractor awards to lowest bidder – if low enough

Bidding & awarding while bids pending

- $\Delta MC_i(t, T_i)$ **depends on acceptance of pending committal bids**
- **Trade-off 1: Risks with pending offers vs. many marginal cost calculations**
  - Assume no pending bids get accepted: TRACONET
  - Assume all pending bids get accepted: Feasibility check
  - Assume worst (or best) combination gets accepted
- **Trade-off 2: Send bids & awards while bids are pending?**



Linking items: *Clustering*

- **Individually rational contracts mean hill-climbing in task allocation space -> Local optima via transfers of one task**
- **Thrm. Classic contracts become arbitrarily sparse [Sandholm97]**



- ***Clustering* of 1, 2 or 3 tasks per announcement: TRACONET [Sandholm93]**
  - m-optimality does not imply n-optimality if n ≠ m
  - Schedules for applying different clustering contracts
  - Domain independent clustering heuristics

by Tuomas Sandholm

Linking items: *Swaps*

- **Local optima even with clustering**



- ***Swaps* : exchanging tasks for tasks [Sandholm96, 97]**
- **Thrm. Reachable set vanishes [Sandholm97]**

Linking items: *Multiagent contracts*

- **Local optima via mutual contracts (clustering & swaps)**



- ***Multiagent contracts*** **[Sandholm96, 97]**

  ([Sathi&Fox89]: heuristically in a simpler domain)

Linking items: Results

- **Thrm** [Sandholm97]**. With a contract operator that allows** ***clustering*****,** ***swaps*** **&** ***multiagent contracts*** **of any size, any sequence of individual rational contracts (i.e. any hill-climbing algorithm) leads to globally optimal task allocation in finite #contracts**

- **Thrm** [Sandholm97]**. No subset of contracts suffices - even with an oracle for choosing the sequence of contracts**

- **Thrm** [Sandholm97]**.** ***Clustering*****,** ***swaps*** **&** ***multiagent contracts*** **do not suffice individually or in pairs (or even all three together when applied non-atomically)**

- **Global optimum vs. anytime**

Leveled commitment contracts

- **Decommitting among cooperative agents** [Smith80, Sen93]
- **Classically full commitment among self-interested agents**
- **Leveled commitment protocol for self-interested agents** [Sandholm&Lesser96]
  - Decommitment penalties (α, β) for both agents
  - Allows accommodating domain events & negotiation events
  - Allows marginal cost calculation to continue after contract
  - Allows same low-commitment offer to many agents
  - Allows risk reduction in implicit clustering, swaps & multiagent contracts
  - Makes feasibility check unnecessary
- **More practical than contingency contracts**

Leveled commitment: Example game



by Tuomas Sandholm

Leveled commitment enables contracts

Contractor decommits whenever it is profitable:

Contractee decommits whenever it is profitable:

$$p_a = \int_{-\infty}^{a*} f(a)da \qquad p_b$$

Example

Choose $\rho = 52.5$

by Tuomas Sandholm

```
ERROR: undefined
OFFENDING COMMAND: ol

STACK:

/Symb!
384
```